

Dimplex®

Cooling

COLLECTION

20223/2024

www.dimplex.com.au





Why choose Dimplex?

With a heritage of nearly 70 years, Dimplex is renowned for quality and reliability and has an unrivalled experience in its field. Bringing hundreds of new products and inspirational designs to the market worldwide, our growth can be attributed to all those who want affordable heating and cooling solutions that are efficient, reliable and durable, as well as attractively designed.

Our strong heritage and long-held passion for what we do drives investment across all areas of the brand from research & development to delivering exceptional customer service.

Today, as a market leader in heating and cooling, we continue to evolve, innovate and experiment with new technologies as a springboard for new ideas, modern design and ongoing improved performance and reliability.

Contents

■ page 4-5 Air Conditioners

Our range of reverse cycle split system and window/wall box air conditioners are perfect for any room.

■ page 6-9 Portable Air Conditioners

Bring style and innovation to your home this Summer with a Dimplex Portable Air Conditioner.

■ page 10-13 Evaporative Coolers

Our evaporative coolers are a natural method of cooling that is ideal for dry open areas.

■ page 14-27 Fans

Cool a variety of rooms with our range of floor, pedestal, wall, tower and misting fans.

■ page 28-31 Air Circulators

Experience the difference with the Dimplex WhirlTech™ Air Circulator range.

■ page 31-33 Dehumidifiers

Designed to be easy to use our range will improve air quality and is perfect for family members with allergies or asthma.

■ page 34-39 Technical Specifications

Air Conditioners

Our range of reverse cycle split system and window/wall box air conditioners are designed to cool and/or heat the room in which they are installed in, providing simple and effective cooling or heating for your home.

Features



Reverse Cycle



3D Airflow



Swing Function



Titan Gold Compressor



Remote Control



Window/Wall Boxes

Window/Wall Box Air Conditioner

1.6kW DCB05C

2.2kW DCB07C

2.7kW DCB09C

- 3 fan speeds
- Swing function
- Sleep mode
- Operating temperature 16°C - 31°C
- 24 hour timer
- Cooling Only
- Remote control



Reverse Cycle Window/Wall Box Air Conditioner

2.2kW cooling/2.05kW heating DCB07

2.6kW cooling/2.4kW heating DCB09

4.1kW cooling/3.6kW heating DCB14

- 3 fan speeds
- Swing function
- Sleep mode
- Operating temperature 16°C - 31°C
- 24 hour timer
- Reverse Cycle
- Remote control



Portable Air Conditioners

Bring style and innovation to your home this Summer with a Dimplex Portable Air Conditioner. We have units ranging from 2kW to 4.5kW so you can be sure to find a model that's perfect for any room size. Whatever you choose, you can be assured it has all the quality and reliability that you've come to expect from Dimplex.

Features



Compact Size



Dehumidifying Function



Remote Control



Timer Mode



Cooling Only

Multidirectional Portable Air Conditioner with Dehumidifier

3.2kW DCP11MULTI

4kW DCP14MULTI

- Wide angle vented airflow
- 0-24 hour timer setting with sleep mode
- Dehumidifying function
- Self evaporative system - no drip tray or drainage hose required
- Soft touch control panel
- LCD remote control
- Window kit to suit sash and sliding windows
- Suitable to cool rooms up to 23m² / 26m²
- Dimensions: W335 x D538 x H765mm



portable air conditioners

Portable Air Conditioner with Dehumidifier

White DCP9

- 2.56kW cooling capacity
- White finish
- 0-24 hour timer setting
- Dehumidifying function
- Self evaporative system – no drip tray or drainage hose required
- Electronic controls with LED Display
- Remote control
- Window kit included to suit sash and sliding windows
- Suitable to cool rooms 20m²
- Dimensions: W355 x D345 x H703mm



Portable Air Conditioner with Dehumidifier

White DCP16C

- 4.5kW cooling capacity
- 0-24 hour timer setting with sleep mode
- Side positioned exhaust hose allowing for minimal unit footprint
- Dehumidifying function
- Self evaporative system – no drip tray or drainage hose required
- Soft touch control panel
- LCD remote control
- Window kit to suit sash and sliding windows
- Suitable to cool rooms up to 34m²
- Dimensions: W530 x D345 x H840mm



Evaporative Coolers

Just like the sea breeze keeps you cool at the beach on a hot day, our evaporative coolers naturally humidify the air by utilising a natural process involving motion and the evaporation of water to cool down the air in your home and is ideal for dry open areas.

Features



Evaporative Tower Coolers

5L Evaporative Tower Cooler

5L DCEVP5BW

- 20m² max. room size
- Turbo air speed - 6.5m/s
- 5L water tank capacity
- 0.5L/h water consumption
- 3 speed settings
- 3 modes - Normal, Natural & Sleep
- Remote control
- LED display
- Swing function
- Black & white finish
- Push button controls
- Water level protection
- Dimensions: W295 x D230 x H850mm



6L Evaporative Tower Cooler

6L DCEVP6BW

- 20m² max. room size
- Turbo air speed - 6.78m/s
- 5.5L water tank capacity
- 0.5L/h water consumption
- 3 speed settings
- 3 Modes – natural, normal & sleep
- Remote control
- LED display
- 0-9 hours timer
- Swing function
- Black & white finish
- Push button controls
- Water level protection
- Dimensions: W290 x D290 x H910mm



8L Evaporative Tower Cooler

8L DCEVP8BW

- 20m² max. room size
- Turbo air speed - 7m/s
- 8L water tank capacity
- 1L/h water consumption
- 3 speed settings
- 3 modes - Normal, Natural & Sleep
- 0-9 hours timer
- Swing function
- Black & white finish
- Push button controls
- Remote control
- Water level protection
- Dimensions: W270 x D325 x H1062mm



evaporative coolers

7L Evaporative Cooler

7L DCEVP7

- 30m² max. room size
- Turbo air speed - 10m/s
- 7L water tank capacity
- 1.2L/h water consumption
- 4 fan speeds
- 4 modes - Normal, Natural, Sleep & Smart
- 0-8h timer
- Auto vertical swing & manual horizontal swing
- Black & white finish
- LED display
- Push button controls
- Remote control
- Removable water tank
- Water level protection
- Dimensions:
W346 x D314 x H824mm



20L Evaporative Cooler

20L DCEVP20W


- 40m² max. room size
- Turbo air speed - 9m/s
- 20L water tank capacity
- 2L/h water consumption
- 4 fan speeds
- 3 modes - Normal, Natural & Sleep
- 0-8h timer
- Auto swing function
- Black & white finish
- LED display
- Touch controls
- Remote control
- Removable water tank
- Easily fill the water tank from the top
- Dimensions:
W342 x D390 x H897mm




6L Evaporative Cooler with Air purifier

6L DCEVP6WT

- 40m² max. room size
- 6L water tank capacity
- True HEPA H13 Filter - CADR 200m³/h
- 6 speeds- 3 in air cooler mode, 3 in air purifier mode
- 3 Modes - natural, normal & sleep
- Louvres automatically close when the unit is turned off
- LED display with button controls
- Auto swing function (left to right)
- 24 hour timer
- Remote control
- Castors for portability
- Ice pack included
- Dimensions:
W328 x D278 x H673mm



Dimplex



Fans

Cool a variety of rooms with our range of floor, pedestal, wall, tower and misting fans. Simply select the speed and feel the instant effect of the high velocity blades. Keeping comfortable this Summer just got a lot simpler.

Features

-  Oscillating Function
-  Swing Function
-  Remote Control
-  Quiet DC motor



Floor Fans

40cm High Velocity Oscillating Floor Fan

Matte Black DCFF40MBK

- 3 speed settings
- Oscillating function
- Chrome or matte black finish
- Tilt adjustable head
- Rotary switch controls
- Carry handle
- 3 piece metal blade
- Dimensions: W445 x D245 x H575mm



50cm High Velocity Oscillating Floor Fan

Black DCFF50MBK

- 3 speed settings
- Matte black finish
- Oscillating function
- Rotary switch controls
- Tilt adjustable head
- Carry handle
- 3 piece metal blade
- Dimensions: W500 x D290 x H625mm





Box Fans

50cm Box Fan

Matte Black DCBOX50MBK

- 3 speed settings
- Matte black finish
- Top mounted dial controls
- Carry handle
- 5 piece blade
- 60 Watt AC motor
- Dimensions:
W510 x D180 x H550mm



Pedestal Fans

40cm High Velocity Pedestal Fan

Chrome DCPF40CH
Matte Black DCPF40MBK

- 3 Speed settings
- Chrome, Matte black or Gunmetal finishes
- Adjustable height. Extends up to 1.16m
- High velocity air flow
- Rear mounted dial controls
- Oscillating function
- Tilt adjustable head
- 4 piece aluminum blade
- 45 Watts
- Dimensions: W450 x D368 x H1160mm





50cm High Velocity Pedestal Fan

Matte Black DCPF50MBK


- 3 Speed settings
- Matte black finish
- Adjustable height. Extends up to 1.7m
- Oscillating
- Full metal construction
- 3 piece aluminium blade
- Powerful airflow
- Dimensions: W650 x D650 x H1700mm



75cm High Velocity Pedestal Fan

Matte Black DCPF75MB

- 3 Speed settings
- Matte black finish
- Adjustable height. Extends up to 1.65m
- 60° Oscillating
- Rear mounted controls
- 3 piece blade
- Powerful airflow
- 7kg heavy duty iron base
- 8m/s Air Flow
- Dimensions: W815 x D500 x H1650mm



Wall Fan

50cm High Velocity Wall Fan

Matte Black DCWF50MBK

- 3 Speed settings
- 7.5 Hour Timer
- Matte black finish
- Oscillating
- Full metal construction
- 3 piece aluminium blade
- Powerful airflow
- Dimensions: W580 x D380 x H730mm



75cm High Velocity Wall Fan

Matte Black DCWF75MB

- 19 Speed settings
- 4 Timer settings: 1h, 2h, 4h & 8h
- Matte black finish
- Oscillating
- Remote Control
- 3 piece blade
- Powerful airflow
- Dimensions: W815 x D380 x H915mm



Tower Fans

Year Round Heat + Cool + Humidifier Tower Fan

Black DCTF3HCH

- 2 fan speed settings
- 2 Heat Settings
- Humidifier: 1.5L Water Tank
- Mist output 100ml/h - up to 15 hours use
- 85° Oscillation
- 12 Hour Timer with Child lock function
- Full touch digital display
- Remote control with magnetic storage
- Tip over switch & overheat protection
- Dimensions: W277 x D285 x H667mm



Year Round Heat + Cool + Purifier Tower Fan

Black DCTF3HCP

- 5 fan speed settings + sleep mode
- 3 Heat Settings
- 90° Oscillating
- 12 Hour Timer with Child lock function
- Air Purifier: 3 stage purification Pre-filter, HEPA 13 +active carbon filter
- Full touch digital display
- Remote control with magnetic storage
- Dimensions: W232 x D292 x H9mm





94cm Tower Fan with Remote

White DCTF94A

- 3 speed settings
- 3 wind modes
-Normal, Natural & Sleep
- LED display with room temperature
- Oscillating function
- 8 hour timer
- Dimensions: W180 x D150 x H940mm



119cm Tower Fan with Remote

White DCTF119A

- 3 speed settings
- 3 wind modes
-Normal, Natural & Sleep
- LED display with room temperature
- Oscillating function
- 8 hour timer
- Dimensions: W180 x D150 x H1190mm



fans**96cm DC Tower Fan with Remote****Matte Black** DCTF96WT

- 15 speed settings
- 3 modes - Normal, natural & sleep
- DC Motor
- Remote control with LED display
- 7 Hour timer
- Oscillating function
- Simple assembly
- Dimensions: W260 x D260 x H960mm

**117cm Tower Fan with Night Light****White** DCTF117NL

- 3 speed settings
- 4 modes - Normal, natural, sleep & child
- Remote control
- 12 Hour timer
- Oscillating function
- Dimensions: W315 x D315 x H1170mm



Air Circulator

Experience the difference with the Dimplex WhirlTech™ Air Circulator range. Our air circulators can be used all-year-round to circulate cool air from air conditioning, hot air from heating, or to help keep rooms fresh by circulating stale air with fresh air.

Features



360° Oscillation



Remote Control



DC Air Circulator + Purifier

Black & White DCACP23

- Vortex Fan Blade Design for maximum air movement
- HEPA-13 filter + plasma purification
- CADR 160m³/h
- Quiet operation <55dB(A)
- 24 Hour Timer
- 90° automatic horizontal oscillation
- 12 speed settings (including silent & power mode)
- Air quality detection
- Remote control with storage
- Dimensions: x W230 x D270 x H422mm



air circulators

**Air Circulator Hot & Cold Pedestal Fan****Black & White** DCACP30HC

- 40W Cool & 1800W Heat
- Eco Mode
- 5 cool speed settings
- 2 heat settings
- 0-12 hour timer
- 70° Vertical & 80° Horizontal oscillation
- LED Display Remote control
- 15m³/min Air Movement
- Remote control
- 3 piece blade
- Dimensions: x W318 x D286 x H700mm

**Air Circulator Hot & Cold Fan****Black & White** DCAC30HC

- 40W Cool & 1800W Heat
- Eco Mode
- 5 cool speed settings
- 2 heat settings
- 0-12 hour timer
- 70° Vertical & 80° Horizontal oscillation
- LED Display Remote control
- 15m³/min Air Movement
- Remote control
- 3 piece blade
- Dimensions: x W318 x D275 x H404.2mm

**Air Circulator with Manual Controls****Black & White** DCACM20

- 2 fan speed settings
- 3D oscillation 90 Vertical and 360 horizontal oscillation function
- Moves air up to 20m
- Detachable fan guard for easy cleaning
- Dimensions: W225 x D215 x H320mm

**Air Circulator with Electronic Controls & Timer****Black & White** DCACE20

- Whole room air circulation
- Moves air up to 20m
- 45W power
- 3 fan speed settings
- 3 modes - Normal, Natural & Sleep
- 0-8h timer
- 3D oscillation 90 Vertical and 360 horizontal oscillation function
- LED indicator lights
- Push button controls
- Detachable fan guard for easy cleaning
- Dimensions: W225 x D215 x H320mm



Dehumidifier

Designed to be easy to use and convenient to move around your home. With a range of sizes and useful features, our range will improve air quality and is perfect for family members with allergies or asthma.

Features

-  Compact Size
-  Dehumidifying Function
-  Remote Control
-  Timer Mode



Dehumidifier with Electronic Controls

25L GDDE25E

50L GDDE50E

- 25L / 50L moisture removal per day
- Continuous drainage
- 3.5L/6.5L tank capacity
- Electronic control with adjustable humidity RH 30% -80%
- 3 pre-set modes: Continuous, Living Room & Bedroom
- Carry handles & castors for portability
- Tank full indicator
- Digital display
- 24 hour timer
- Auto defrost
- Filter wash reminder
- Recommended Room Size
25L: 10-22m
50L: 15-40m



technical specifications

Air Conditioners

Capacity	Cooling	DCB05C	DCB07	DCB07C	DCB09	DCB09C	DCB14
	Heating	-	2.05kW	-	2.4kW	-	3.6kW
EER / COP		3.25W	3.2W / 3.28W	3.25W	3.27W / 3.26W	3.25W	3.26W / 3.28W
Energy Rating - Cooling	Hot	1.5 stars	-	-	1.5 stars	-	2 stars
	Average	1.5 stars	1.5 stars	2 stars	1.5 stars	1.5 stars	1.5 stars
	Cold	1.5 stars	-	-	1.5 stars	-	1.5 stars
Energy Rating - Heating	Hot	-	-	-	1 stars	-	1 stars
	Average	-	2 stars	-	1 stars	-	1 stars
	Cold	-	-	-	0.5 stars	-	1 stars
Noise Level	Indoor	57dB(A)	55dB(A)	55dB(A)	53dB(A)	54dB(A)	56dB(A)
	Outdoor	65dB(A)	62dB(A)	62dB(A)	61dB(A)	61dB(A)	63dB(A)
Electrical Data							
Power Supply		230V / 50Hz, 1Ph	230V / 50Hz, 1Ph	230V / 50Hz, 1Ph			
Running Current	Cooling	2.16A (max. 3.1A)	3.01A (max. 5.7A)	2.95A (max. 3.8A)	3.4A (max. 7.1A)	3.7A (max. 7.1A)	5.4A (max. 7.5A)
	Heating	-	2.65A (max. 4.5A)	-	3.2A (max. 4.9A)	-	4.7A (max. 7.5A)
Power Input	Cooling	500W (max. 600W)	680W (max. 1200W)	670W (max. 800W)	790W (max. 1400W)	830W (max. 1400W)	1250W (max. 1600W)
	Heating	-	600W (max. 800W)	-	730W (max. 1000W)	-	1090W (max. 1400W)
Refrigerating System							
Refrigerant	R410A Volume	320g	710g	450g	720g	520g	900g
Dimensions							
Dimensions (w x d x h)		470 x 357 x 535mm	605 x 566 x 385mm	605 x 566 x 385mm	604 x 384 x 560mm	605 x 566 x 385mm	660 x 427 x 680mm
Recommended Cut-Out Size (w x h)		471 x 536mm	606 x 386mm	606 x 386mm	605 x 561mm	606 x 386mm	661 x 681mm
Weight		25kg	32kg	32kg	33kg	33kg	51kg
Operating Temperature		(16 - 31°C)	(18 - 31°C)	(16 - 31°C)	(18 - 31°C)	(16 - 31°C)	(18 - 31°C)
Ambient Temperature	Cooling	(18 - 44°C)	(18 - 45°C)	(18 - 43°C)	(18 - 45°C)	(18 - 43°C)	(18 - 45°C)
	Heating	-	(7 - 27°C)	-	(7 - 27°C)	-	(7 - 27°C)
Room Size		8 - 11m ²	9 - 13m ²	9 - 15m ²	10 - 18m ²	10 - 18m ²	20 - 30m ²
Warranty	Domestic	5 years	5 years	5 years	5 years	5 years	5 years
	Commercial	1 year	1 year	1 year	1 year	1 year	1 year

technical specifications

Portable Air Conditioners

	DCP11MULTI	DCP14MULTI	DCP9	DCP16C
Sleep Mode	Y	Y	Y	Y
Timer	0 - 24h	0 - 24h	0 - 24h	0 - 24h
Self-Evaporative	Y	Y	Y	Y
Controls	Manual	Touch	Touch	Touch
Remote Control	Y	Y	Y	Y
Accessories	Window kit	Window kit	Window kit	Window kit
Operating Temperature	(5-43°C)	(5-43°C)	(17-35°C)	(5 - 43°C)
Thermostat Range	(17-30°C)	(17-30°C)	(17 - 30°C)	(17 - 30°C)
Min. Room Size	15m ²	18m ²	9m ²	21m ²
Max. Room Size	23m ²	26m ²	20m ²	34m ²
Rated Power	1.28kW	1.6kW	1.28kW	1.8kW
Cooling Capacity	3.2kW	4kW	2.56kW	4.5kW
Dehumidifying Capacity	50L/day	70L/day	2.12L/h	70L/day
Refrigerant	R290	R290	R290	R410A
Noise Level	51dB(A)	51dB(A)	63dB(A)	56dB(A)
Dimensions (w x d x h)	335 x 538 x 765mm	335 x 538 x 765mm	355 x 345 x 703mm	530 x 345 x 840mm
Weight	30.5kg	31kg	25.3kg	34kg
Domestic Warranty	2 years	2 years	2 years	2 years

technical specifications

Evaporative Coolers

	DCEVP5BW	DCEVP6BW	DCEVP8BW	DCEVP7	DCEVP6WT	DCEVP20W
Speed Settings	3	3	3	4	6	4
Normal Mode	Y	Y	Y	Y	Y	Y
Natural Mode	Y	Y	Y	Y	Y	Y
Sleep Mode	Y	Y	Y	Y	Y	Y
Smart Mode	-	-	-	Y	-	-
Timer	0 - 7h	0 - 9h	0 - 9h	0 - 8h	0-24h	0 - 8h
Swing function	Y	Y	Y	Y	Y	Y
Display	LED	LED	LED	LED	LED	LED
Controls	Push button	Push button	Push button	Push button	Push button	Touch
Remote Control	Y	Y	Y	Y	Y	Y
Removable Water Tank	-	-	-	Y	-	Y
Water Level Protection	Y	Y	Y	Y	-	-
Ice Pack included	-	-	-	Y	Y	-
Max. Room Size	20m ²	20m ²	20m ²	30m ²	40m ²	40m ²
Rated Power	55W	60W	80W	110W	85W	110W
Water Tank Capacity	5L	5.5L	8L	7L	6L	20L
Water Consumption	0.5L/h	1.1L/h	1L/h	0.8L/h	0.8L/h	2L/h
Dimensions (w x d x h)	295 x 230 x 850mm	290 x 290 x 910mm	270 x 325 x 1062mm	346 x 314 x 824mm	328 x 278 x 673mm	342 x 390 x 897mm
Weight	6.2kg	6kg	7kg	7.5kg	6.3kg	8kg
Domestic Warranty	2 years	2 years	2 years	2 years	2 years	2 years

Fans

	DCFF40MBK	DCFF50BLK
Speed Settings	3	3
Oscillating Function	Y	-
Tilt Adjustable Head	Y	Y
Controls	Rear mounted	Rear mounted
Carry Handle	Y	Y
Blade	3 piece	5 piece
Noise Level	60dB(A)	72dB(A)
Dimensions (w x d x h)	445 x 245 x 575mm	580 x 250 x 600mm
Weight	3.6kg	6.3kg
Domestic Warranty	2 years	2 years

	DCWF50MBK	DCWF75MB
Speed Settings	3	19
Timer	0.5-7.5h	1h, 2h, 4h & 8h
Oscillating Function	Y	Y
Controls	Push button	Push button
Remote Control	Y	Y
Blade	3 piece	3 piece
Noise Level	75dB(A)	75dB(A)
Dimensions (w x d x h)	580 x 380 x 730mm	815 x 380 x 915mm
Weight	8.4kg	13kg
Domestic Warranty	2 years	2 years

Fans

	DCBOX50MB
Speed Settings	3
Oscillating Function	-
Controls	Rear mounted
Carry Handle	Y
Blade	5 piece
Noise Level	70dB(A)
Dimensions (w x d x h)	500 x 110 x 560mm
Weight	3.1kg
Domestic Warranty	2 years

	DCPF40MBK	DCPF50MBK	DCPF75MB
Speed Settings	3	3	3
Oscillating Function	Y	Y	Y
Height Adjustable	1.16m	1.5m	1.5m
Tilt Adjustable Head	Y	Y	Y
Blade	4 piece	3 piece	3 piece
Controls	Rear mounted	Rear mounted	Rear mounted
Noise Level	65dB(A)	68dB(A)	75dB(A)
Dimensions (w x d x h)	450 x 368 x 1160mm	580 x 380 x 1500mm	815 x 500 x 1650mm
Weight	62kg	13kg	13kg
Domestic Warranty	2 years	2 years	2 years

	DCTF3HCH	DCTF3HCP	DCTF94A	DCTF119A	DCTF96WT	DCTF117NL
Speed Settings	2	5	3	3	15	3
Normal Mode	Y	Y	Y	Y	Y	Y
Natural Mode	Y	Y	Y	Y	Y	Y
Sleep Mode	-	Y	Y	Y	Y	Y
Child Mode	Y	-	-	-	-	Y
Timer	0 - 12h	0 - 12h	0 - 8h	0 - 8h	0 - 7h	0 - 12h
Oscillating Function	Y	Y	Y	Y	Y	Y
Tilt Adjustable	-	-	-	-	-	-
Display	LED	LED	LED	LED	LED	LED
Controls	Button	Button	Button	Button	Button	Button
Remote Control	Y	Y	Y	Y	Y	Y
Cord Storage	Y	-	-	-	-	-
Carry Handle	N	Y	N	N	N	N
Motor	-	-	-	-	-	-
Noise Level	55dB(A)	55dB(A)	48.7dB(A)	51.2dB(A)	50-60dB(A)	50-60dB(A)
Dimensions (w x d x h)	228 x 285 x 672mm	232 x 292 x 966mm	315 x 315 x 932mm	315 x 315 x 1167mm	260 x 260 x 960mm	315 x 315 x 1170mm
Weight	3.6kg	5.2kg	3.57kg	4.54kg	2.2kg	3.63kg
Domestic Warranty	2 years	2 years	2 years	2 years	2 years	2 years

	DCWF50MBK	DCWF75MB
Speed Settings	3	19
Timer	0.5-7.5h	1h, 2h, 4h & 8h
Oscillating Function	Y	Y
Controls	Push button	Push button
Remote Control	Y	Y
Blade	3 piece	3 piece
Noise Level	75dB(A)	75dB(A)
Dimensions (w x d x h)	580 x 380 x 730mm	815 x 380 x 915mm
Weight	8.4kg	13kg
Domestic Warranty	2 years	2 years

technical specifications

technical specifications

Air Circulators

	DCACM20	DCACE20	DCAC30HC	DCACP30HC	DCACP23
Speed Settings	2	3	5 Cool	5 Cool	3
Normal Mode	-	Y			
Natural Mode	-	Y			
Sleep Mode	-	Y			
Timer	-	0 - 8h	0-12h	0-12h	0-24h
Oscillating Function	360°	360°	70°	70°	80°
Tilt Adjustable Head	90°	90°			90°
Controls	Manual/Dial	Push button	LED & Remote Control	LED & Remote Control	LED & Remote Control
Remote Control	-	-	Y	Y	Y
Blade	3 piece	3 piece	3 piece	3 piece	Vortex Fan Blade
Airflow Movement	20m	20m	15m	15m	5m/s
Rated Power	45W	45W	40W	40W	35W
Noise Level	35dB(A)	35dB(A)	55dB(A)	55dB(A)	55dB(A)
Dimensions (w x d x h)	225 x 215 x 320mm	225 x 215 x 320mm	318 x 275 x 404.2mm	318 x 286 x 700mm	268 x 234 x 422mm
Weight	1.8kg	1.9kg	3.9kg	5.7kg	3.3kg
Domestic Warranty	2 years	2 years	2 years	2 years	2 years

Dehumidifier

	GDDE25E	GDDE50E
Rated Power	350W	780W
Moisture Removal	25L p/Day	50L p/Day
Tank Capacity	3.5L	6.5L
Working Range	(5 - 32°C)	(5 - 32°C)
Fan Speeds	2	2
Modes	Continuous Living Room Bedroom	Continuous Living Room Bedroom
Room Size	12-30m ²	24-60m ²
Timer	0-24h	0-24h
Noise Level MAX	53dB(A)	53dB(A)
Refrigerant	R134A	R410A
Continuous Drainage	Y	Y
Automatic Defrost	Y	Y
Dimensions (w x d x h)	370 x 270 x 505mm	382 x 305 x 640mm
Room Size	12-30m ²	24-60m ²
Weight Net	16kg	22kg



Show off your Dimplex!

 /DimplexAustralia

 @dimplexaus



GLEN DIMPLEX AUSTRALIA PTY LTD

8 Lakeview Drive, Scoresby VIC 3179

Phone: 1300 556 816

Email: customer.care@gldimplex.com.au

Glen Dimplex Australia's policy is one of continuous development and improvement. We reserve the right to change specifications without prior notice.

www.dimplex.com.au

DCBRO2022/23

